



DECLARATION OF CONFORMITY

We declare that we produce our products in the table below in accordance with the provisions of "305/2011 / EU Construction Materials Regulation".

PRODUCT	IDENTIFICATION
ONAT BUILDING PLASTERS SATONAT (SATIN PLASTER)	 ONAT PLASTER Onpo Madencilik İnş. San. Ve Tic. A.Ş. TS EN 13279-1:2009 DATE-TIME ISO 9001:2015

MANUFACTURER	ONPO Madencilik İnş. San. Ve Tic. A. Ş.
PRODUCTION SITE	Bala Yolu Üzeri 20.km Çavuşlu Köyü Dumlutepe Mevkii Bala/ANKARA
PRODUCT DESCRIPTION	Thin Applicable Surface Layer Material Gypsum Plaster
TYPE	C6 / 20 / 2
FIELDS OF USAGE	Gypsum-Based Plaster Applicable to Materials Such as Brick, Concrete, Aerated Concrete, and Lightweight Concrete Blocks
SYSTEM APPLICATION	System 3
SPECIAL CONDITIONS FOR USE	During application, care should be taken to ensure there is no airflow or draft in the environment, and it should be stored in a way that protects it from moisture and condensation.
CE APPROVING INSTITUTION	Manufacturer Declaration
TS EN 13279 APPROVING INSTITUTION	Turkish Standards Institute - TSE

Information About the CE Marking	Shear Strength per Fasteners	NPD
	Reaction to Fire	A1
	Direct Airborne Sound Insulation	NPD
	Building Plaster Content	>50
	Flexural Tensile Strength (N/mm ²)	>1,0
	Compressive Strength (N/mm ²)	>2
	Adhesion Strength (N/mm ²)	>0,1
	Impact Resistance	NPD
	Noise Absorption	NPD
	Performance Declaration No	600.01.003

Ankara MADENCİLİK İNŞAAT.
SANAYİ TİCARET A.Ş.
Merkez : Zübeyde Hanım Mah. Turgut Özal 1 Bulvarı No: 6/2
Altındağ / ANKARA
Tel: 0312 384 30 97 F: 0312 342 32 27
Mersis No : 0643 033 2000 0001 Web : <https://www.onpo.com.tr>
Kırtılbaşı Y.Ö. 043 033 7205

ÖNDER ÜNER

Factory Director

ONPO MADENCİLİK İNŞ. SAN. ve TIC. A.Ş.
Zübeyde Hanım Mah. Turgut Özal 1 Bulvarı No: 6/2 İskitler 06070, Altındağ – ANKARA
T: +90 312 384 30 97 F: +90 312 342 32 27
info@onpo.com.tr / www.onpo.com.tr

