



### DECLARATION OF CONFORMITY

We declare that we produce our products in the table below in accordance with the provisions of "305/2011 / EU Construction Materials Regulation".

| PRODUCT                                             | IDENTIFICATION                                                                                                                                                                               |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ONAT BUILDING PLASTERS<br>PERONAT (PERLITE PLASTER) | <br>ONAT PLASTER<br>Onpo Madencilik İnş. San. Ve Tic.<br>A.Ş.<br>TS EN 13279-1:2009 DATE-TIME ISO 9001:2015 |

|                                   |                                                                                                                                                                                                |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MANUFACTURER                      | ONPO Madencilik İnş. San. Ve Tic. A. Ş.                                                                                                                                                        |
| PRODUCTION SITE                   | Bala Yolu Üzeri 20.km Çavuşlu Köyü Dumlutepe<br>Mevkii Bala/ANKARA                                                                                                                             |
| PRODUCT DESCRIPTION               | Lightweight Plaster for Buildings (Hand-Applied<br>Plaster)                                                                                                                                    |
| TYPE                              | B4 / 20 / 2                                                                                                                                                                                    |
| FIELDS OF USAGE                   | Gypsum-Based Plaster Applicable to Materials<br>Such as Brick, Concrete, Aerated Concrete, and<br>Lightweight Concrete Blocks                                                                  |
| SYSTEM APPLICATION                | System 3                                                                                                                                                                                       |
| SPECIAL CONDITIONS FOR USE        | During application, care should be taken to ensure<br>there is no airflow or draft in the environment, and<br>it should be stored in a way that protects it from<br>moisture and condensation. |
| CE APPROVING INSTITUTION          | Manufacturer Declaration                                                                                                                                                                       |
| TS EN 13279 APPROVING INSTITUTION | Turkish Standards Institute - TSE                                                                                                                                                              |

| Information About the CE Marking | Shear Strength per Fasteners                      | NPD        |
|----------------------------------|---------------------------------------------------|------------|
|                                  | Reaction to Fire                                  | A1         |
|                                  | Direct Airborne Sound Insulation                  | NPD        |
|                                  | Building Plaster Content                          | >50        |
|                                  | Flexural Tensile Strength<br>(N/mm <sup>2</sup> ) | >1,0       |
|                                  | Compressive Strength (N/mm <sup>2</sup> )         | >2         |
|                                  | Adhesion Strength (N/mm <sup>2</sup> )            | >0,1       |
|                                  | Impact Resistance                                 | NPD        |
|                                  | Noise Absorption                                  | NPD        |
|                                  | Performance Declaration No                        | 600.01.001 |

Ankara  
ONPO MADENCİLİK İNŞAAT.  
SANAYİ VE TİCARET A.Ş.  
Merkez : Zübeyde Hanım Mah. Turgut Özal Bulv. No: 6/2  
Tel: 0312 384 30 97 F: +90 312 342 32 27  
Mersis No : 0543 0337 2750 0014 Web : https://www.onpo.com.tr  
Kızılbey V.Ş. : 643 033 7205



ONPO MADENCİLİK İNŞ. SAN. ve TİC. A.Ş.  
Zübeyde Hanım Mah. Turgut Özal 1 Bulvarı No: 6/2 Iskitler 06070, Altındağ – ANKARA  
T: +90 312 384 30 97 F: +90 312 342 32 27  
info@onpo.com.tr / www.onpo.com.tr