DECLARATION OF CONFORMITY

We declare that we produce our products in the table below in accordance with the provisions of "305/2011 / EU Construction Materials Regulation".

PRODUCT	IDENTIFICATION
ONATPAN SOUNDBOARD	ONATPAN PLASTERBOARD Onpo Madencilik İnş. San. Ve Tic. A.Ş. TS EN 520-1+A1 A2 S1 d0 (B) IK 1200*2500*12.5 DATE-TIME ISO 9001:2015

MANUFACTURER	ONPO Madencilik İnş. San. Ve Tic. A. Ş.
PRODUCTION SITE	Bala Yolu Üzeri 20.km Çavuşlu Köyü Dumlutepe Mevkii Bala/ANKARA
PRODUCT DESCRIPTION	Plasterboard
TYPE	TYPE A
FIELDS OF USAGE	Plasterboard with enhanced sound insulation, suitable for applying gypsum plaster or appropriate decorative coating on its visible surface
SYSTEM APPLICATION	System 3
SPECIAL CONDITIONS FOR USE	Used only indoors
CE APPROVING INSTITUTION	Manufacturer Declaration
TS EN 520 APPROVING INSTITUTION	Turkish Standards Institute - TSE

Information About the CE Marking	**Reaction to Fire**	A2.S1.d0
	Direct Airborne Sound Insulation	NPD
	Coefficient of Resistance to Water Vapor Transition	10
	Bending Breaking Load (N) (In the Long Edge Direction)	> 550
	Bending Breaking Load (N) (In the Short Edge Direction)	>210
	Sound Cancellation Index	Rw = 55,3 (-3,8) dB
	Thermal Resistance	0.25 W / (m.K)
	Performance Declaration No	600.01.007

ONPO MADENCİLİK İNŞAAT SANAYİ VE TİCARET A.Ş.
Merkez : Zübeyde Hanım Mah. Turgut Özal 1 Bulv. No: 6/2
Altındağ / ANKARA
Tel: 0312 384 30 97 Faks: 0312 342 32 27
Mersis No : 0643 033 [illegible] info@onpo.com.tr
Kızılbey V.D.: 0643 033 [illegible]

Ankara ...../...../.....
ÖNDER ÜNER
Factory Director

ONPO MADENCILIK INŞ. SAN. ve TIC. A.Ş.
Zübeyde Hanım Mah. Turgut Özal 1 Bulvarı No: 6/2 Iskitler 06070, Altındağ – ANKARA
T: +90 312 384 30 97 F: +90 312 342 32 27
info@onpo.com.tr / www.onpo.com.tr

onat